



Interior Fittings



Storage Space Organised the Smart Way


Hettich

Cabinet interiors

► Benefits at a glance



Storage space organised the smart way

Whether tall units, base units or corner units – Hettich's well-considered, high-quality fittings systems can optimise storage spaces behind the furniture front and provide them with innovative functions. This means more convenience for all kitchen users: the cabinet interior quickly shows where

everything's kept and provides convenient, ergonomic access to cabinet contents. Even small alcoves, narrow cabinets and hard-to-reach corners can be used more efficiently with solutions from Hettich.



Optimise access:

The Iseo tall unit pull out provides optimum organisation and ergonomic access, even to the back of the cabinet.




Enjoy comfort:

For luxuriously quiet and gentle closing, all drawer runners are equipped with Silent System soft-closing.



Choose any design.

Cabinet interiors from Hettich provide numerous design and configurational options.



hettich.com/short/1qtl7e4

Find out more:

You can get inspiration and further product details on our website.

Cabinet interiors

► Summary



Base unit interior fittings

4 – 11



Corner unit equipment

12 – 21



Interior fittings for larder units

22 – 29



Lift systems for wall units

30 – 31

Base unit interior fittings

- Bottle Rack
- Lario

Scan for
Installation Guide



- 2 tier bottle rack for base units
- For 150 and 200 mm cabinet width
- Pull-out shelves with HDF panel (5 mm) and flat wire railing
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately, see more on page 11)
- Can be mounted on left, right or diagonally
- Load capacity 10 kg
- Including 4 divider bars
- Bottle rack, powder coated / HDF, divider bars, plastic or anthracite

Lario 400 bottle rack




Set comprises:


- 1 bottle rack, 2 tier, preassembled
- 2 front panel connectors
- 4 divider bars

For cabinet width mm	For inside cabinet body width mm	Order no. anthracite	PU
150	112 / 114 / 118	9 381 024	1 set
200	162 / 164 / 168	9 381 025	1 set

Planning dimensions



Divider bar set Lario 400



- Divider for clipping in, suitable for Lario 400 bottle rack with flat wire railing
- Can be used in cabinets in a width of 150 mm and over
- Plastic

Set comprises:

- 4 divider bars

Order no. / Colour		PU
anthracite	transparent	
9 381 037	9 381 036	1 set

Base unit interior fittings

- Bottle Rack
- Lario

Scan for
Installation Guide



- 2 tier bottle rack for base units
- For 300 and 400 mm cabinet width
- Pull-out shelves with HDF panel (5 mm) and flat wire railing
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately, see more on page 11)
- Installation between cabinet body sides
- Load capacity 10 kg
- Including 8 divider bars
- Bottle rack drawer, powder coated / HDF, divider bars, plastic or anthracite

Lario 400 bottle rack




Set comprises:


- 1 bottle rack, 2 tier, preassembled
- 2 front panel connectors
- 8 divider bars

For cabinet width mm	For inside cabinet body width mm	Order no. anthracite	PU
300	262 / 264 / 268	9 381 032	1 set
400	362 / 364 / 368	9 381 033	1 set

Planning dimensions



Divider bar set Lario 400



- Divider for clipping in, suitable for Lario 400 bottle rack with flat wire railing
- Can be used in cabinets in a width of 150 mm and over
- Plastic

Set comprises:

- 4 divider bars

Order no. / Colour		PU
anthracite	transparent	
9 381 037	9 381 036	1 set

Base unit interior fittings

- Bottle Rack
- Lario

Scan for
Installation Guide



- 2 tier bottle rack for base units
- For 150 and 200 mm cabinet width
- Steel pull-out shelves with anti slip mat
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately, see more on page 11)
- Can be mounted on left, right or diagonally
- Load capacity 10 kg
- Bottle rack, powder coated steel, anti slip mat, plastic, anthracite

Lario 200 bottle rack




Set comprises:



- 2 steel pull-out shelves
- 1 connecting strut
- 2 front panel connectors
- 2 anti slip mats

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
150	112 / 114 / 118	9 381 020	1 set
200	162 / 164 / 168	9 381 021	1 set

Planning dimensions



KB	LB
150	112 - 118
200	162 - 168



Base unit interior fittings

- Bottle Rack
- Lario

Scan for
Installation Guide



- 2 tier bottle rack for base units
- For 300 and 400 mm cabinet width
- Steel pull-out shelves with anti slip mat
- Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately, see more on page 11)
- Installation between cabinet body sides
- Load capacity 10 kg
- Bottle rack, powder coated steel, anti slip mat, plastic, anthracite

Lario 200 bottle rack




Set comprises:



- 2 steel pull-out shelves
- 4 connecting stays
- 2 front panel connectors
- 2 anti slip mats

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
300	262 / 264 / 268	9 381 028	1 set
400	362 / 364 / 368	9 381 029	1 set

Planning dimensions



KB	LB
300	262 - 268
400	362 - 368






Cleaning utensil pull-out



- Complete with roller runners
- Mounts either left or right
- Load capacity 10 kg
- Including spacer washers for bridging door protrusion
- Cleaning product pull out, steel chrome plated or powder coated, roller runner, steel, galvanised, spacer washers, plastic

Order no. / Colour		PU
chrome plated	anthracite	
9 381 047	9 381 048	1 ea.



Base unit interior fittings


- ▶ Internal pot-and-pan drawer
- ▶ Naro

Scan for
Installation Guide



- ▶ Internal pot-and-pan drawer for installation between cabinet body sides
- ▶ For 450 mm or 600 mm cabinet width
- ▶ Pull-out shelf with HDF panel (5 mm) and flat wire railing
- ▶ Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately, see more on page 11)
- ▶ Load capacity 15 kg per tray
- ▶ Including spacer profiles for bridging door protrusion
- ▶ Internal pot-and-pan drawer, powder coated / HDF, spacer profiles, plastic or anthracite

Naro 400 internal pot-and-pan drawer




Set comprises:

- ▶ 1 internal pot-and-pan drawer
- ▶ 1 pair of spacer profiles

For cabinet width mm	For inside cabinet body width mm	Order no/ Colour.	PU
		anthracite	
450	412 / 414 / 418	9 381 044	1 set
600	562 / 564 / 568	9 381 045	1 set

Planning dimensions



Base unit interior fittings


- ▶ Internal pot-and-pan drawer
- ▶ Naro

Scan for
Installation Guide



- ▶ Internal pot-and-pan drawer for installation between cabinet body sides
- ▶ For 450 mm or 600 mm cabinet width
- ▶ Steel pull-out shelves with anti slip mat
- ▶ Suitable for Quadro V6 full extension runner, nominal length 470 mm (please order separately, see more on page 11)
- ▶ Load capacity 15 kg per tray
- ▶ Including spacer profiles for bridging door protrusion
- ▶ Internal pot-and-pan drawer, powder coated steel, spacer profiles and anti slip mat, plastic, anthracite

Naro 200 internal pot-and-pan drawer




Set comprises:



- ▶ 1 internal pot-and-pan drawer
- ▶ 1 anti-slip mat
- ▶ 1 pair of spacer profiles

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
450	412 / 414 / 418	9 381 038	1 set
600	562 / 564 / 568	9 381 039	1 set

Planning dimensions



KB	LB
450	412 - 418
600	562 - 568



Base unit interior fittings

- ▶ Drawer runner
- ▶ Quadro



- ▶ Full pull-out
- ▶ With integrated Silent System
- ▶ Load capacity to EN 15338 Level 3
- ▶ Slide-on assembly
- ▶ Galvanised steel

Quadro V6 470 drawer runners



Description	Order no.	PU
Quadro V6 470 drawer runner LH with Silent System	9 118 054	1
Quadro V6 470 drawer runner RH with Silent System	9 118 055	1
Quadro V6 470 drawer runner SET with Silent System	9 318 956	1

Corner unit equipment

- ▶ **Corner unit swivel pull-out**
- ▶ **Salso**

Scan for
Installation Guide



- ▶ Swivelling pull-out for installing behind hinged door
- ▶ Makes contents easy to access
- ▶ For corner units with 450 / 500 or 600 mm front width
- ▶ Pull-out shelves can be swivelled out individually and adjusted in height
- ▶ Revolving column, height adjustable from 620 – 820 mm
- ▶ Including soft opening and soft closing

Set of fittings



- ▶ Revolving column, height adjustable for inside carcase height from 620 – 820 mm
- ▶ Support arms, including soft opening and soft closing
- ▶ Minimum inside cabinet body depth 465 mm
- ▶ For 450 / 500 or 600 mm front panel width
- ▶ Available in left or right hand version
- ▶ Please order suitable pull-out shelf set separately
- ▶ Revolving column and support arms, steel powder coated

Set comprises:

- ▶ 1 revolving column, height adjustable
- ▶ 2 support arms, including soft opening and soft closing

Front panel width mm	Design	Order no. / Colour anthracite	PU
450/500	left	9 381 057	1 set
450/500	right	9 381 058	1 set
600	left	9 381 059	1 set
600	right	9 381 060	1 set

Sequence of movements (illustration shows a left-hand version):




Corner unit equipment

- ▶ Corner unit swivel pull-out
- ▶ Salso

Scan for
Installation Guide



Pull-out shelf set




- ▶ Pull-out shelf set for 450, 500 or 600 mm front panel width
- ▶ Available in left or right hand version
- ▶ Load capacity 18 kg per tray
- ▶ Please order suitable set of fittings separately
- ▶ Pull-out shelf set 400: flat wire railing, powder coated, panel (16 mm) anthracite
- ▶ Pull-out shelf set 200: steel pull-out shelf, powder coated, anthracite, including anti slip mats, plastic, anthracite

Set comprises:

- ▶ 2 shelves
- ▶ 4 shelf supports
- ▶ 2 anti slip mats (with pull-out shelf set 200 only)


Front panel width mm	Design	Order no. / Article		PU
		1 Pull-out shelf set 400, Anthracite	2 Pull-out shelf set 200, Anthracite	
450	left	9 381 087	9 381 063	1 set
450	right	9 381 088	9 381 064	1 set
500	left	9 381 089	9 381 065	1 set
500	right	9 381 090	9 381 066	1 set
600	left	9 381 091	9 381 067	1 set
600	right	9 381 092	9 381 068	1 set

Pull-out shelves







Planning dimensions



	≥ A	≥ B
450	860	410
500	960	460
600	960	560

	≥ A	≥ B	C
450	860	410	388
500	960	460	438
600	960	560	538



Corner unit equipment

- ▶ Corner unit pull-out system
- ▶ Orta

Scan for
Installation Guide



- ▶ Corner pull-out for installation behind hinged doors
- ▶ The rear shelves can be pulled out individually
- ▶ For corner units with 450, 500 or 600 mm front width
- ▶ Centre upright suitable for left hand and right hand door mounting
- ▶ Complete with Silent System
- ▶ Please order matching clip on shelves and baskets separately
- ▶ Powder coated steel

Centre upright




Set comprises:

- ▶ 1 centre upright, complete with runners, for use on left / right

Front panel width mm	Order no. / Colour anthracite	PU
450	9 381 098	1 set
500	9 381 099	1 set
600	9 381 100	1 set

Sequence of movements (the fitting is usable for left and right)





Pull-out shelf set 400




- ▶ Clip on shelves for Orta centre upright
- ▶ Load capacity 7 kg per front pull-out shelf, 11 kg per rear pull-out shelf
- ▶ HDF panel (5 mm), anthracite
- ▶ Flat wire railing, steel

Set comprises:

- ▶ 2 clip on shelves, front
- ▶ 2 clip on shelves, rear

Front panel width mm	Order no. / Colour anthracite	PU
450	9 381 114	1 set
500	9 381 115	1 set
600	9 381 116	1 set

Pull-out shelf set 200



- ▶ Clip on shelves for Orta centre upright
- ▶ Load capacity 7 kg per front pull-out shelf, 11 kg per rear pull-out shelf
- ▶ Steel pull-out shelf with anti slip mat
- ▶ Powder coated steel / plastic anthracite

Set comprises:

- ▶ 2 clip on shelves, front
- ▶ 2 clip on shelves, rear
- ▶ 4 anti slip mats

Front panel width mm	Order no.	PU
450	9 381 106	1 set
500	9 381 107	1 set
600	9 381 108	1 set

Corner unit equipment

- ▶ Corner unit pull-out system
- ▶ Orta

Scan for
Installation Guide



Planning dimensions

Isometric view of the corner unit pull-out system. Dimensions A and B are indicated. Height requirements are shown as ≥ 500 and ≥ 575 . The unit is shown with a pull-out mechanism and a warning triangle indicating a maximum height of ≤ 70 .

	$\geq A$	$\geq B$
450	755	385
550	795	420
600	945	535

Side view of the corner unit pull-out system. A warning triangle indicates a maximum height of ≤ 70 .

Top view of the corner unit pull-out system. A warning triangle indicates a maximum height of ≤ 70 .

Corner unit equipment

- ▶ Corner unit pull-out system
- ▶ Goro

Scan for
Installation Guide



- ▶ Corner pull-out for installing with versatile shelf and basket storage
- ▶ For corner units with 450, 500 or 600 mm front width
- ▶ The front pull-out shelf is height adjustable
- ▶ Complete with Silent System
- ▶ Please order matching clip on shelves and baskets separately
- ▶ Powder coated steel

Centre upright




Set comprises:

- ▶ 1 centre upright, complete with drawer front connectors


Front panel width mm	Design	Order no. / Colour anthracite	PU
450	left	9 381 119	1 set
450	right	9 381 120	1 set
500	left	9 382 253	1 set
500	right	9 382 257	1 set
600	left	9 382 259	1 set
600	right	9 382 260	1 set

Sequence of movements (illustration shows a left-hand version):





Pull-out shelf set 400




- Clip on shelves for Goro centre upright
- Load capacity 7 kg per front pull-out shelf, 9 kg per rear pull-out shelf
- HDF panel (5 mm), anthracite
- Flat wire railing, steel

Set comprises:

- 2 clip on shelves, front
- 2 clip on shelves, rear

Front panel width mm	Order no. / Colour anthracite	PU
450	9 381 124	1 set
500	9 382 261	1 set
600	9 382 262	1 set

Pull-out shelf set 200




- Clip on shelves for Goro centre upright
- Load capacity 7 kg per front pull-out shelf, 9 kg per rear pull-out shelf
- Steel pull-out shelf with anti slip mat
- Powder coated steel / plastic anthracite

Set comprises:

- 2 clip on shelves, front
- 2 clip on shelves, rear
- 4 anti slip mats

Front panel width mm	Order no.	PU
450	9 381 122	1 set
500	9 382 263	1 set
600	9 382 264	1 set

Planning dimensions



Corner unit equipment

- ▶ Corner unit swivel pull-out
- ▶ Senio

Scan for
Installation Guide



- ▶ Swivelling corner unit with individually opening pull-out shelves
- ▶ All inclusive set for two individually opening pull-out shelves in the corner unit
- ▶ Load capacity 15 kg per pull-out
- ▶ For 450 mm front panel width
- ▶ Pull-out shelves with round railing, powder coated steel, MDF panel (16 mm), anthracite

All-inclusive set



Set comprises:

- ▶ 2 pairs of curved runners
- ▶ 1 centre upright
- ▶ 2 shelves
- ▶ 2 pairs of connections

Front panel width mm	Design	Order no.	PU
450	left	9 382 265	1 set
450	right	9 382 266	1 set

Principle of operation (Illustration shows a left-hand version)




- ▶ Corner unit swivel pull-out
- ▶ Senio

Scan for
Installation Guide



Planning dimensions





- Pull out pantry with integrated Silent System
- Contents can be accessed from both sides
- Full pull-out
- Shelves / baskets height adjustable
- Contents are clearly arranged and compactly stored

Centre upright

- Suitable for cabinet widths 300 and 400 mm
- Adjustable in height by 350 mm
- Pull-out and shelves / baskets must be ordered separately
- Powder coated steel

Set comprises:

- 1 height adjustable centre upright
- 4 front holders

Centre upright

For cabinet width mm	Minimum inside cabinet width mm	Inside cabinet body height mm	Order no. / Colour anthracite	PU
300	257	1600 - 1950	9 380 994	1 set
400	357	1600 - 1950	9 380 995	1 set
300	257	1900 - 2250	9 380 998	1 set
400	357	1900 - 2250	9 380 999	1 set

Full extension runner with Silent System and soft opening



- Complete with Silent System
- Additionally with soft opening
- Minimum inside cabinet body depth 504 mm
- For centre mounted Olona centre upright
- Load capacity 100 kg
- Powder coated steel

Colour	Order no.	PU
anthracite	9 380 991	1 set




Full extension runner with Silent System



- Complete with Silent System
- For centre mounted Olona centre upright
- Minimum inside cabinet body depth 494 mm
- Load capacity 100 kg
- Powder coated steel

Colour	Order no.	PU
anthracite	9 380 989	1 set

Clip on shelf 400



- For hooking into Olona centre upright
- HDF panel (5 mm), anthracite
- Flat wire railing, steel

For cabinet body width mm	Order no. / Colour anthracite	PU
300	9 381 006	1 ea.
400	9 381 007	1 ea.

Clip on shelf 200





- For hooking into Olona centre upright
- Steel pull-out shelf with anti slip mat
- Powder coated steel / plastic anthracite







For cabinet body width mm	Order no.	PU
300	9 381 002	1 ea.
400	9 381 003	1 ea.



Planning dimensions





	D mm
9380989	≥ 494
9380991	≥ 504



W mm	A mm
300	230
400	330

H mm	B mm
1600 - 1950	1098
1900 - 2250	1419



Interior fittings for larder units

- ▶ Turning/swivelling pull-out
- ▶ Iseo

Scan for
Installation Guide



- ▶ Swivelling pull-out for larder units
- ▶ Door and pull-out shelf ensure full use of the space available
- ▶ The pull-out shelf is pulled forwards when the door is opened
- ▶ Creates enormous storage space and well arranged storage unit
- ▶ Direct access to everything in the cupboard
- ▶ Can also be used for 2 door larder units without centre panel
- ▶ For cabinet unit width 450, 600 mm

Frame set



- ▶ All inclusive set of fittings (without pull-out shelves)
- ▶ Can be mounted either left or right
- ▶ Minimum inside cabinet body depth 495 mm
- ▶ Minimum inside cabinet body height 1695 mm
- ▶ Please order pull-out shelves separately
- ▶ Powder coated steel


Set comprises:

- ▶ 1 pull-out frame
- ▶ 1 door frame
- ▶ 1 pull-out mechanism incl. guides
- ▶ Fixing brackets

For cabinet body width mm	Order no. / Colour anthracite	PU
450	9 383 758	1 set
600	9 381 009	1 set



Pull-out shelf set 400




- For hooking into the Iseo pull-out frame or into the Iseo door open shelf element
- HDF panel (5 mm), white or anthracite
- Flat wire railing, steel

Set comprises:

- 2 pull-out shelves for the pull-out frame (each with 10 kg load capacity)
- 2 pull-out shelves for the door open shelf element (each with 5 kg load capacity)

For cabinet body width mm	Order no. / Colour	PU
	anthracite	
600	9 381 011	1 set

Pull-out shelf set 200



- For hooking into the Iseo pull-out frame or into the Iseo door open shelf element
- Steel pull-out shelf with anti slip mat
- Powder coated steel / plastic anthracite


Set comprises:

- 2 pull-out shelves for the pull-out frame (each with 10 kg load capacity)
- 2 pull-out shelves for the door open shelf element (each with 5 kg load capacity)
- 4 anti slip mats

For cabinet body width mm	Order no.	PU
450	9 383 759	1 set
600	9 381 012	1 set



Planning dimensions



Wall unit interior fittings

- Lift system
- Atri

Scan for
Installation Guide



- Lift system for the wall unit
- Provides convenient and easy access to the contents
- Including Silent System
- Detent engages when swivelled down into position
- Ideal for retrofitting
- Total added load 8 kg
- Powder coated steel, anthracite

Lift system 1-tier



- Lift system for the wall unit with a panel

- Set comprises:
- 1 lift fitting
 - 1 metal panel

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
600	564 - 586	9 382 270	1 set
900	864 - 868	9 382 271	1 set

Lift system 2-tier






- Lift system for the wall unit with two panels

- Set comprises:
- 1 lift fitting
 - 2 metal panels

For cabinet width mm	For inside cabinet body width mm	Order no.	PU
600	564 - 586	9 382 272	1 set
900	864 - 868	9 382 273	1 set

Planning dimensions



Publisher's imprint:

Hettich Australia


6 Entolasia Close
Kemps Creek NSW 2178

Phone: 1800 687 789
Fax: 1800 687 789
support-au@hettich.com
Web: www.hettich.com/en-au/home

© Hettich Marketing- und Vertriebs
GmbH & Co. KG
Anton-Hettich-Straße 12-16
32278 Kirchlegern · Germany

We reserve all rights to this catalogue under copyright law. It shall not be permissible to duplicate this catalogue in any form either in whole or in part without our written consent. Subject to technical alterations. Errors and omissions excepted. Subject to colour variations.

August 2025



IT'S ALL
IN HETTICH

